

CORRECTION

Open Access



Correction: Psychopathology and theory of mind in patients with personality disorders

Juliane Burghardt¹, Silvia Gradl^{1,2,3*}, Magdalena Knopp^{1,3} and Manuel Sprung^{1,2}

Borderline Personality Disorder and Emotion Dysregulation (2023) 10:18

<https://doi.org/10.1186/s40479-023-00224-1>.

Following publication of the original article [1], we have been notified that Tables 3 and 4 were published and aligned incorrectly.

The online version of the original article can be found at <https://doi.org/10.1186/s40479-023-00224-1>.

*Correspondence:

Silvia Gradl
silvia.gradl@kl.ac.at

¹Division of Clinical Psychology, Department of Psychology and Psychodynamics, Karl Landsteiner University of Health Sciences, Dr.-Karl-Dorrek-Straße 30, Krems an Der Donau 3500, Austria

²University Hospital for Psychosomatic Medicine Eggenburg, Grafenberger Straße 2, Eggenburg 3730, Austria

³Faculty of Psychology and Educational Sciences, Department of Psychology, Ludwig-Maximilians- Universität München, Leopoldstraße 13, 80802 Munich, Germany



© The Author(s) 2024. **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>. The Creative Commons Public Domain Dedication waiver (<http://creativecommons.org/publicdomain/zero/1.0/>) applies to the data made available in this article, unless otherwise stated in a credit line to the data.

Incorrect Tables 3 and 4 are shown below

Table 3 Regressions of diagnosis, BPD severity, depression severity, sex, and age on ToM total correct responses and exceeding ToM errors

Predictors	ToM total			Exceeding ToM		
	β	<i>B</i>	CI 95%	β	<i>B</i>	CI 95%
Regression 1 (enter)						
Sex (0 = female, 1 = male)	-0.03	-0.37	[-2.49, 1.74]	0.16	1.31	[0.00, 2.62]
Age in years	-0.23	-0.13	[-0.22, -0.05]	0.00	0.00	[-0.05, 0.05]
BPD severity	-0.10	-0.25	[-0.59, 0.08]	0.16	0.23	[0.02, 0.44]
BPD vs. MOPD diagnosis	0.10	1.18	[-0.74, 3.11]	0.06	0.43	[-0.76, 1.61]
Regression 2 (enter)						
Sex (0 = female, 1 = male)	-0.02	-0.22	[-2.35, 1.90]	0.17	1.39	[0.09, 2.68]
Age in years	-0.21	-0.12	[-0.21, -0.04]	-0.01	-0.00	[-0.06, 0.05]
Depression severity	-0.14	-0.15	[-0.29, -0.01]	0.18	0.12	[0.03, 0.21]
BPD vs. MOPD diagnosis	0.08	0.95	[-0.96, 2.86]	0.09	0.65	[-0.51, 1.81]
Regression 3 (enter)						
Sex (0 = female, 1 = male)	-0.02	-0.34	[-2.45, 1.77]	0.15	1.29	[-0.01, 2.59]
Age in years	-0.22	-0.12	[-0.21, -0.04]	-0.02	-0.01	[-0.06, 0.05]
BPD severity	-0.05	-0.13	[-0.49, -0.24]	0.10	0.15	[-0.07, 0.38]
Depression severity	-0.13	-0.14	[-0.29, -0.02]	0.13	0.08	[-0.01, 0.18]
BPD vs. MOPD diagnosis	0.10	1.28	[-0.64, 3.20]	0.05	0.37	[-0.82, 1.55]
Regression 4 (stepwise)						
Age in years	-0.26	-0.15	[-0.23, -0.07]	not included		
Depression severity	-0.13	-0.14	[-0.28, -0.003]	0.17	0.11	[0.02, 0.20]

Bold numbers are significant on a $p = .05$ level

BPD Borderline personality disorder, MOPD Mixed and other personality disorders, ToM Theory of Mind, CI 95% 95% confidence interval

Table 4 Regressions of diagnosis, BPD severity, depression severity, sex, and age on reduced and no ToM errors

Predictors	Reduced ToM			No ToM		
	β	<i>B</i>	CI 95%	β	<i>B</i>	CI 95%
Regression 1 (enter)						
Sex (0 = female, 1 = male)	-0.06	-0.38	[-1.42, 0.67]	-0.10	-0.52	[-1.30, 0.26]
Age in years	0.23	0.07	[0.02, 0.11]	0.18	0.04	[0.01, 0.07]
BPD severity	-0.01	-0.01	[-0.17, 0.16]	0.01	0.01	[-0.11, 0.14]
BPD vs. MOPD diagnosis	-0.10	-0.62	[-1.57, 0.33]	-0.08	-0.37	[-1.08, 0.34]
Regression 2 (enter)						
Sex (0 = female, 1 = male)	-0.07	-0.46	[-1.50, 0.58]	-0.11	-0.61	[-1.44, 0.22]
Age in years	0.22	0.06	[0.02, 0.10]	0.16	0.04	[0.00, 0.07]
Depression severity	0.03	0.02	[-0.05, 0.09]	0.03	0.01	[-0.04, 0.07]
BPD vs. MOPD diagnosis	-0.11	-0.64	[-1.57, 0.30]	-0.06	-0.29	[-1.04, 0.45]
Regression 3 (enter)						
Sex (0 = female, 1 = male)	-0.06	-0.38	[-1.43, 0.66]	-0.10	-0.52	[-1.31, 0.26]
Age in years	0.22	0.06	[0.02, 0.11]	0.18	0.04	[0.05, 0.07]
BPD severity	-0.03	-0.04	[-0.22, 0.15]	-0.01	-0.01	[-0.15, 0.13]
Depression severity	0.06	0.03	[-0.05, 0.11]	0.06	0.02	[-0.04, 0.08]
BPD vs. MOPD diagnosis	-0.11	-0.64	[-1.59, 0.31]	-0.09	-0.38	[-1.09, 0.33]
Regression 4 (stepwise)						
Age in years	0.25	0.07	[0.03, 0.11]	0.18	0.04	[0.01, 0.06]

Bold numbers are significant on a $p = .05$ level

BPD Borderline personality disorder, MOPD Mixed and other personality disorders, ToM Theory of Mind, CI 95% 95% confidence interval

Correct Tables 3 and 4 are shown below

Table 3 Regressions of diagnosis, BPD severity, depression severity, sex, and age on ToM total correct responses and exceeding ToM errors

Predictors	ToM total			exceeding ToM		
	β	<i>B</i>	CI 95%	β	<i>B</i>	CI 95%
Sex (0 = female, 1 = male)	-0.03	-0.37	[-2.49, 1.74]	0.16	1.31	[0.00, 2.62]
Age in years	-0.23	-0.13	[-0.22, -0.05]	0.00	0.00	[-0.05, 0.05]
BPD severity	-0.10	-0.25	[-0.59, 0.08]	0.16	0.23	[0.02, 0.44]
BPD vs. MOPD diagnosis	0.10	1.18	[-0.74, 3.11]	0.06	0.43	[-0.76, 1.61]
Regression 2 (enter)						
Sex (0 = female, 1 = male)	-0.02	-0.22	[-2.35, 1.90]	0.17	1.39	[0.09, 2.68]
Age in years	-0.21	-0.12	[-0.21, -0.04]	-0.01	-0.00	[-0.06, 0.05]
Depression severity	-0.14	-0.15	[-0.29, -0.01]	0.18	0.12	[0.03, 0.21]
BPD vs. MOPD diagnosis	0.08	0.95	[-0.96, 2.86]	0.09	0.65	[-0.51, 1.81]
Regression 3 (enter)						
Sex (0 = female, 1 = male)	-0.02	-0.34	[-2.45, 1.77]	0.15	1.29	[-0.01, 2.59]
Age in years	-0.22	-0.12	[-0.21, -0.04]	-0.02	-0.01	[-0.06, 0.05]
BPD severity	-0.05	-0.13	[-0.49, 0.24]	0.10	0.15	[-0.07, 0.38]
Depression severity	-0.13	-0.14	[-0.29, 0.02]	0.13	0.08	[-0.01, 0.18]
BPD vs. MOPD diagnosis	0.10	1.28	[-0.64, 3.20]	0.05	0.37	[-0.82, 1.55]
Regression 4 (stepwise)						
Age in years	-0.26	-0.15	[-0.23, -0.07]	not included		
Depression severity	-0.13	-0.14	[-0.28, -0.003]	0.17	0.11	[0.02, 0.20]

Bold numbers are significant on a $p = .05$ level

BPD Borderline personality disorder, *MOPD* Mixed and other personality disorders, *ToM* Theory of Mind, *CI* 95% 95% confidence interval

Table 4 Regressions of diagnosis, BPD severity, depression severity, sex, and age on reduced and no ToM errors

Predictors	Reduced ToM			No ToM		
	β	<i>B</i>	CI 95%	β	<i>B</i>	CI 95%
Regression 1 (enter)						
Sex (0 = female, 1 = male)	-0.06	-0.38	[-1.42, 0.67]	-0.10	-0.52	[-1.30, 0.26]
Age in years	0.23	0.07	[0.02, 0.11]	0.18	0.04	[0.01, 0.07]
BPD severity	-0.01	-0.01	[-0.17, 0.16]	0.01	0.01	[-0.11, 0.14]
BPD vs. MOPD diagnosis	-0.10	-0.62	[-1.57, 0.33]	-0.08	-0.37	[-1.08, 0.34]
Regression 2 (enter)						
Sex (0 = female, 1 = male)	-0.07	-0.46	[-1.50, 0.58]	-0.11	-0.61	[-1.44, 0.22]
Age in years	0.22	0.06	[0.02, 0.10]	0.16	0.04	[0.00, 0.07]
Depression severity	0.03	0.02	[-0.05, 0.09]	0.03	0.01	[-0.04, 0.07]
BPD vs. MOPD diagnosis	-0.11	-0.64	[-1.57, 0.30]	-0.06	-0.29	[-1.04, 0.45]
Regression 3 (enter)						
Sex (0 = female, 1 = male)	-0.06	-0.38	[-1.43, 0.66]	-0.10	-0.52	[-1.31, 0.26]
Age in years	0.22	0.06	[0.02, 0.11]	0.18	0.04	[0.005, 0.07]
BPD severity	-0.03	-0.04	[-0.22, 0.15]	-0.01	-0.01	[-0.15, 0.13]
Depression severity	0.06	0.03	[-0.05, 0.11]	0.06	0.02	[-0.04, 0.08]
BPD vs. MOPD diagnosis	-0.11	-0.64	[-1.59, 0.31]	-0.09	-0.38	[-1.09, 0.33]
Regression 4 (stepwise)						
Age in years	0.25	0.07	[0.03, 0.11]	0.18	0.04	[0.01, 0.06]

Bold numbers are significant on a $p = .05$ level

BPD Borderline personality disorder, *MOPD* Mixed and other personality disorders, *ToM* Theory of Mind, *CI* 95% 95% confidence interval

The original article was updated.

Publisher's Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Published online: 11 September 2024

References

1. Burghardt et al. Psychopathology and Theory of Mind in patients with personality disorders. *Bord personal disord emot dysregul.* 2023;10:18. <https://doi.org/10.1186/s40479-023-00224-1>