

COMMENTARY

Open Access



Commentary to Nicaastro et al. (2016), Borderline Personality Disorder and Emotion Dysregulation

Nader Perroud¹ and Ueli Kramer^{2,3,4*}

We realized that the paper by Nicaastro et al. [3] did not discuss all the studies involving the French version of the BSL-23. Parallel to Nicaastro and colleagues' translation, Kramer et al. [2] have used a slightly different French translation of the BSL-23 which had previously received approval by the authors of the scale (M. Bohus, personal communication, July 2010). This independent translation differs only on 4 items - a matter of nuance - from the Nicaastro and colleagues translation. In their treatment study, Kramer and colleagues randomized $N = 85$ patients with Borderline Personality Disorder (BPD) and administered the BSL-23 pre and post treatment for $n = 61$ patients. They found, for a psychiatric treatment over 10 sessions, a small, but significant, pre-post effect ($d = .28$, intent to treat). In a different randomized controlled trial for $N = 31$ patients with BPD, the same author group found a small, but significant, between-group effect favoring a short-term version of dialectical-behavior skills training ($d = .23$; completers; [1]). Given the interest of the BSL-23 in French speaking samples of individuals with BPD, the current validation study by Nicaastro et al. [3] is highly welcome and will help encourage the use of the scale in further psychotherapy studies.

Acknowledgments

Not applicable.

Funding

Not applicable.

Availability of data and materials

Not applicable.

Authors' contributions

NP and UK have written the present commentary. All authors read and approved the final manuscript.

* Correspondence: ueli.kramer@chuv.ch

²Department Psychiatry-CHUV, University of Lausanne, Place Chauderon 18, CH-1003 Lausanne, Switzerland

³Department of Psychology, University of Windsor, Windsor, Canada

Full list of author information is available at the end of the article

Competing interests

The authors declare that they have no competing interests.

Consent for publication

Not applicable.

Ethical approval and consent to participate

Not applicable.

Author details

¹University Hospitals of Geneva and University of Geneva, Geneva, Switzerland. ²Department Psychiatry-CHUV, University of Lausanne, Place Chauderon 18, CH-1003 Lausanne, Switzerland. ³Department of Psychology, University of Windsor, Windsor, Canada. ⁴McLean Hospital, Department of Psychiatry, Harvard University, Belmont, USA.

Received: 26 August 2016 Accepted: 6 September 2016

Published online: 22 November 2016

References

1. Kramer U. The role of coping change in borderline personality disorder: A process-outcome analysis of Dialectical-Behavior Skills Training. *Clin Psychol Psychother*. 2016. doi:10.1002/cpp.2017
2. Kramer U, Kolly S, Berthoud L, Keller S, Preisig M, Caspar F, Berger T, de Roten Y, Marquet P, Despland J-N. Effects of motive-oriented therapeutic relationship in a ten-session general psychiatric treatment of borderline personality disorder: a randomized controlled trial. *Psychotherapy Psychosomatics*. 2014;83:176–86. doi:10.1159/000358528.
3. Nicaastro R, Prada P, Kung A-L, Salamin V, Dayer A, Aubry J-M, Guenet F, & Perroud N. Psychometric properties of the French borderline symptom list, short form (BSL-23). *Borderline Personal Disorder Emot Dysregulation*. 2016;3(4). doi:10.1186/s40479-016-0038-0

Submit your next manuscript to BioMed Central
and we will help you at every step:

- We accept pre-submission inquiries
- Our selector tool helps you to find the most relevant journal
- We provide round the clock customer support
- Convenient online submission
- Thorough peer review
- Inclusion in PubMed and all major indexing services
- Maximum visibility for your research

Submit your manuscript at
www.biomedcentral.com/submit

